

**Center for Fluid Mechanics, Division of Applied Mathematics
Fluids, Thermal and Chemical Processes Group, School of Engineering
Joint Seminar Series**

**Tatiana Kuriabova
University of Colorado
Boulder, CO**

**Linear Aggregation and Liquid-crystalline Order: Comparison of Monte Carlo
Simulation and Analytic Theory**

Many soft-matter and biophysical systems are composed of monomers that reversibly assemble into rod-like aggregates. The aggregates can then order into liquid-crystal phases if the density is high enough, and liquid-crystal ordering promotes increased growth of aggregates. Systems that display coupled aggregation and liquid-crystal ordering include worm-like micelles, chromonic liquid crystals, DNA and RNA, and protein polymers and fibrils. Coarse-grained molecular models that capture key features of coupled aggregation and liquid-crystal ordering common to many different systems are lacking; in particular, the roles of monomer aspect ratio and aggregate flexibility are not well understood. We study a system of sticky cylinders that interact primarily by hard-core interactions but can stack and bind end to end. We use Monte Carlo simulations and analytic theory. We present results for several different cylinder aspect ratios and a range of end-to-end binding energies. The phase diagrams are qualitatively similar to those of chromonic liquid crystals, with an isotropic-nematic-columnar triple point. Our analytic theory shows improvement compared to previous theory in quantitatively predicting the I-N transition for relatively stiff aggregates, but requires a better treatment of aggregate flexibility.

TUESDAY - May 10, 2011

4:00 PM

Barus & Holley, Room 190